

## Leading Causes of Death\*, Maine, by Public Health District, 2009

Cause of Death	Number	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
<b>Aroostook</b>					
Malignant neoplasms (C00-C97)	203	286.7	247.3 - 326.1	<b>203.6</b>	175.1 - 232.1
Diseases of heart (I00-I09,I11,I13,I20-I51)	161	227.4	192.3 - 262.5	<b>156.7</b>	132.2 - 181.2
Cerebrovascular diseases (I60-I69)	50	70.6	52.4 - 93.1	<b>48.2</b>	35.8 - 63.6
Chronic lower respiratory diseases (J40-J47)	41	57.9	41.6 - 78.6	<b>39.8</b>	28.6 - 54
Unintentional injuries (V01-X59,Y85-Y86)	34	48.0	33.3 - 67.1	<b>44.0</b>	29.7 - 62.8
Alzheimer's disease (G30)	25	35.3	22.9 - 52.1	<b>24.1</b>	15.6 - 35.6
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	23	32.5	20.6 - 48.7	<b>22.7</b>	14.4 - 34
<b>Central</b>					
Malignant neoplasms (C00-C97)	427	250.8	227 - 274.6	<b>198.5</b>	179.5 - 217.6
Diseases of heart (I00-I09,I11,I13,I20-I51)	353	207.4	185.7 - 229	<b>163.9</b>	146.7 - 181.1
Chronic lower respiratory diseases (J40-J47)	107	62.9	50.9 - 74.8	<b>49.1</b>	39.8 - 58.4
Cerebrovascular diseases (I60-I69)	93	54.6	44.1 - 66.9	<b>43.5</b>	35.1 - 53.4
Unintentional injuries (V01-X59,Y85-Y86)	68	39.9	31 - 50.6	<b>36.0</b>	27.7 - 46
Alzheimer's disease (G30)	61	35.8	27.4 - 46	<b>28.1</b>	21.5 - 36.1
Diabetes mellitus (E10-E14)	60	35.2	26.9 - 45.4	<b>28.4</b>	21.5 - 36.7
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	58	34.1	25.9 - 44	<b>27.3</b>	20.7 - 35.3
Influenza and pneumonia (J09-J18)	35	20.6	14.3 - 28.6	<b>15.8</b>	11 - 21.9
Septicemia (A40-A41)	30	17.6	11.9 - 25.2	<b>13.6</b>	9.2 - 19.4
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	26	15.3	10 - 22.4	<b>14.6</b>	9.5 - 21.6
Pneumonitis due to solids and liquids (J69)	23	13.5	8.6 - 20.3	<b>10.9</b>	6.9 - 16.3
Chronic liver disease and cirrhosis (K70,K73-K74)	21	12.3	7.6 - 18.9	<b>10.3</b>	6.3 - 15.9
<b>Cumberland</b>					
Malignant neoplasms (C00-C97)	567	205.7	188.7 - 222.6	<b>171.0</b>	156.8 - 185.3
Diseases of heart (I00-I09,I11,I13,I20-I51)	471	170.8	155.4 - 186.3	<b>135.6</b>	123.2 - 148
Chronic lower respiratory diseases (J40-J47)	151	54.8	46 - 63.5	<b>44.7</b>	37.5 - 51.9
Unintentional injuries (V01-X59,Y85-Y86)	123	44.6	36.7 - 52.5	<b>39.5</b>	32.4 - 46.6
Alzheimer's disease (G30)	111	40.3	32.8 - 47.8	<b>30.6</b>	24.8 - 36.3
Cerebrovascular diseases (I60-I69)	97	35.2	28.5 - 42.9	<b>27.8</b>	22.4 - 34
Diabetes mellitus (E10-E14)	61	22.1	16.9 - 28.4	<b>18.7</b>	14.2 - 24.1
Influenza and pneumonia (J09-J18)	58	21.0	16 - 27.2	<b>16.3</b>	12.4 - 21.1
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	16.0	11.6 - 21.4	<b>13.7</b>	9.9 - 18.5
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	39	14.1	10.1 - 19.3	<b>14.0</b>	9.9 - 19.2
Parkinson's disease (G20-G21)	37	13.4	9.4 - 18.5	<b>10.9</b>	7.7 - 15.1
Septicemia (A40-A41)	30	10.9	7.3 - 15.5	<b>8.9</b>	6 - 12.8
Pneumonitis due to solids and liquids (J69)	26	9.4	6.2 - 13.8	<b>7.6</b>	4.9 - 11.2
Chronic liver disease and cirrhosis (K70,K73-K74)	22	8.0	5 - 12.1	<b>6.6</b>	4.1 - 10.1
Aortic aneurysm and dissection (I71)	20	7.3	4.4 - 11.2	<b>5.7</b>	3.5 - 8.8

## Leading Causes of Death\*, Maine, by Public Health District, 2009

Cause of Death	Number	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
<b>Downeast</b>					
Malignant neoplasms (C00-C97)	251	296.4	259.7 - 333	<b>208.6</b>	182.5 - 234.7
Diseases of heart (I00-I09,I11,I13,I20-I51)	222	262.1	227.6 - 296.6	<b>187.4</b>	162.5 - 212.2
Unintentional injuries (V01-X59,Y85-Y86)	56	66.1	49.9 - 85.9	<b>59.2</b>	44.1 - 77.8
Chronic lower respiratory diseases (J40-J47)	53	62.6	46.9 - 81.9	<b>45.1</b>	33.8 - 59
Cerebrovascular diseases (I60-I69)	45	53.1	38.8 - 71.1	<b>38.1</b>	27.8 - 51
Diabetes mellitus (E10-E14)	34	40.1	27.8 - 56.1	<b>28.1</b>	19.5 - 39.3
Alzheimer's disease (G30)	23	27.2	17.2 - 40.7	<b>19.7</b>	12.5 - 29.6
<b>Midcoast</b>					
Malignant neoplasms (C00-C97)	382	257.1	231.3 - 282.9	<b>186.9</b>	167.8 - 205.9
Diseases of heart (I00-I09,I11,I13,I20-I51)	316	212.7	189.2 - 236.1	<b>153.8</b>	136.6 - 171
Cerebrovascular diseases (I60-I69)	99	66.6	54.2 - 81.1	<b>47.0</b>	38.1 - 57.3
Chronic lower respiratory diseases (J40-J47)	95	63.9	51.7 - 78.2	<b>46.7</b>	37.7 - 57.2
Unintentional injuries (V01-X59,Y85-Y86)	70	47.1	36.7 - 59.5	<b>41.7</b>	32 - 53.3
Alzheimer's disease (G30)	60	40.4	30.8 - 52	<b>28.4</b>	21.6 - 36.7
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	36	24.2	17 - 33.5	<b>18.2</b>	12.7 - 25.4
Influenza and pneumonia (J09-J18)	34	22.9	15.8 - 32	<b>16.3</b>	11.2 - 22.9
Diabetes mellitus (E10-E14)	33	22.2	15.3 - 31.2	<b>16.1</b>	10.9 - 22.8
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	21	14.1	8.7 - 21.6	<b>13.6</b>	8.2 - 21.2
<b>Penquis</b>					
Diseases of heart (I00-I09,I11,I13,I20-I51)	391	237.8	214.3 - 261.4	<b>200.3</b>	180.4 - 220.3
Malignant neoplasms (C00-C97)	385	234.2	210.8 - 257.6	<b>196.2</b>	176.4 - 215.9
Chronic lower respiratory diseases (J40-J47)	96	58.4	47.3 - 71.3	<b>48.9</b>	39.6 - 59.7
Cerebrovascular diseases (I60-I69)	82	49.9	39.7 - 61.9	<b>42.3</b>	33.6 - 52.6
Unintentional injuries (V01-X59,Y85-Y86)	66	40.1	31 - 51.1	<b>38.7</b>	29.7 - 49.5
Diabetes mellitus (E10-E14)	50	30.4	22.6 - 40.1	<b>25.0</b>	18.5 - 33.1
Alzheimer's disease (G30)	42	25.5	18.4 - 34.5	<b>21.8</b>	15.7 - 29.5
Influenza and pneumonia (J09-J18)	34	20.7	14.3 - 28.9	<b>17.5</b>	12.1 - 24.5
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	30	18.2	12.3 - 26	<b>17.7</b>	11.8 - 25.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	22	13.4	8.4 - 20.3	<b>11.3</b>	7.1 - 17.1
<b>Western</b>					
Malignant neoplasms (C00-C97)	456	239.6	217.6 - 261.5	<b>191.8</b>	174 - 209.5
Diseases of heart (I00-I09,I11,I13,I20-I51)	418	219.6	198.5 - 240.6	<b>172.7</b>	156 - 189.4
Chronic lower respiratory diseases (J40-J47)	150	78.8	66.2 - 91.4	<b>64.3</b>	54 - 74.7
Unintentional injuries (V01-X59,Y85-Y86)	96	50.4	40.9 - 61.6	<b>45.0</b>	36.3 - 55.3
Cerebrovascular diseases (I60-I69)	94	49.4	39.9 - 60.4	<b>38.4</b>	31 - 47.1
Alzheimer's disease (G30)	65	34.1	26.4 - 43.5	<b>26.3</b>	20.3 - 33.6
Diabetes mellitus (E10-E14)	64	33.6	25.9 - 42.9	<b>27.2</b>	20.9 - 34.8
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	35	18.4	12.8 - 25.6	<b>14.3</b>	10 - 19.9
Influenza and pneumonia (J09-J18)	34	17.9	12.4 - 25	<b>13.6</b>	9.4 - 18.9
Chronic liver disease and cirrhosis (K70,K73-K74)	23	12.1	7.7 - 18.1	<b>10.0</b>	6.2 - 15.1
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	21	11.0	6.8 - 16.9	<b>9.9</b>	6 - 15.2

## Leading Causes of Death\*, Maine, by Public Health District, 2009

Cause of Death	Number	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
<b>York</b>					
Malignant neoplasms (C00-C97)	462	231.2	210.1 - 252.3	<b>187.1</b>	169.9 - 204.4
Diseases of heart (I00-I09,I11,I13,I20-I51)	339	169.7	151.6 - 187.7	<b>135.7</b>	121.1 - 150.2
Chronic lower respiratory diseases (J40-J47)	128	64.1	53 - 75.2	<b>52.8</b>	43.6 - 62
Cerebrovascular diseases (I60-I69)	87	43.5	34.9 - 53.7	<b>36.4</b>	29.1 - 45
Unintentional injuries (V01-X59,Y85-Y86)	84	42.0	33.5 - 52	<b>38.3</b>	30.4 - 47.7
Alzheimer's disease (G30)	79	39.5	31.3 - 49.3	<b>32.0</b>	25.3 - 39.8
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	35	17.5	12.2 - 24.4	<b>14.5</b>	10.1 - 20.1
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	33	16.5	11.4 - 23.2	<b>14.6</b>	9.9 - 20.7
Diabetes mellitus (E10-E14)	31	15.5	10.5 - 22	<b>11.9</b>	8.1 - 17
Chronic liver disease and cirrhosis (K70,K73-K74)	23	11.5	7.3 - 17.3	<b>9.4</b>	6 - 14.1
Influenza and pneumonia (J09-J18)	22	11.0	6.9 - 16.7	<b>8.6</b>	5.4 - 13.1

\*Leading cause of death does not include infant deaths (age less than 1)

Cause of death categories having fewer than 10 deaths are suppressed by the National Center for Health Statistics and are not reported on this table.

Death rates based upon a numerator of 20 or less are suppressed by the National Center for Health Statistics and are not shown in this table.

Crude rates are Deaths per 100,000 population

Age-adjusted rates are Deaths per 100,000 population age-adjusted to the U.S. 2000 standard population

95% CI: 95% confidence interval of the rate.

Data Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2009 on CDC WONDER Online Database, released 2012.